

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	112	(downconvert\$3 adj RF adj signal)	USPAT	OR	OFF	2007/05/09 14:45
L13	309	((measur\$3 measurement) with RF with (signal adj strength))	USPAT	OR	OFF	2007/05/09 13:19
L14	0	12 and 13	USPAT	OR	OFF	2007/05/09 14:45
L15	5045	((measur\$3 measurement) with (signal adj strength))	USPAT	OR	OFF	2007/05/09 13:19
L16	3	12 and 15	USPAT	OR	OFF	2007/05/09 14:45
L18	1	10/799557	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:44
L19	0	((radio adj receiver) and strength and signal and rf and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and (plurality adj DC adj offset) and compar\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:57
L20	0	(wireless and receiver and amplifier and RF and mixer and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and rectifier and circuit and ((plurality adj DC adj offset) with (increasing adj value)) and compar\$3 and output and decoder and (strength with signal)).clm.	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:59
L21	0	(receiver and amplifier and RF and mixer and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and rectifier and circuit and ((plurality adj DC adj offset) with (increasing adj value)) and compar\$3 and output and decoder and (strength with signal)).clm.	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:56
L22	0	(receiv\$3 and amplifier and RF and mixer and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and rectifier and circuit and ((plurality adj DC adj offset) with (increasing adj value)) and compar\$3 and output and decoder and (strength with signal)).clm.	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:56
L23	1	((receiv\$3) and strength and signal and rf and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and (plurality adj DC adj offset) and compar\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/05/09 13:57

EAST Search History

L24	1	(wireless and receiver and amplifier and RF and mixer and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and rectifier and circuit and ((plurality adj DC adj offset) with (increasing adj value)) and compar\$3 and output and decoder and (strength with signal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 14:09
L25	17	(wireless and receiver and amplifier and RF and mixer and (down adj convert\$3) and rectifier and decoder and (strength near3 signal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:00
L26	0	(amplifier and RF and mixer and (down adj convert\$3) and (first adj polarity) and (second adj polarity) and rectifier and circuit and ((plurality adj DC adj offset) with (increasing adj value)) and compar\$3 and output and decoder and (strength with signal)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 14:09
L27	43901	(radio adj receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 14:44
L28	470	27 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 14:45
L29	0	12 and 28	USPAT	OR	OFF	2007/05/09 14:45
L30	26	28 and (downconvert\$3 with signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 14:46

EAST Search History

L31	17	(wireless and receiver and amplifier and RF and mixer and (down adj convert\$3) and rectifier and decoder and (strength near3 signal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/09 15:00
L42	74	324/76.14.ccls.	USPAT	OR	OFF	2007/05/09 16:15
L43	6	L42 and (signal near3 strength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:16
S1	187	"324"/\$.ccls. and (measur\$3 with (signal adj strength))	USPAT	OR	OFF	2003/12/05 10:12
S2	24	S1 and rectifier	USPAT	OR	ON	2003/12/05 10:12
S4	1	(US-2184511-\$).did.	USOCR	OR	OFF	2003/12/05 10:13
S5	23	S2 not S3	USPAT	OR	OFF	2003/12/05 10:35
S6	483	455/226.2-226.4.ccls.	USPAT	OR	OFF	2003/12/05 10:33
S7	32	S6 and (signal adj strength).ti.	USPAT	OR	ON	2003/12/05 14:32
S8	30	S7 not S3	USPAT	OR	OFF	2003/12/05 10:35
S9	1	10/106910	US-PGPUB; USPAT	OR	OFF	2003/12/05 12:48
S10	3	("5154514" "5213416" "5639163").pn.	USPAT	OR	ON	2003/12/05 14:35
S11	575	"324"/\$.ccls. and (chip with temperature)	USPAT	OR	ON	2003/12/05 14:39
S12	0	S11 and (chip with (thermal\$3 adj sensitive adj element))	USPAT	OR	ON	2003/12/05 14:37
S13	0	S11 and (thermal\$3 adj sensitive adj element)	USPAT	OR	ON	2003/12/05 14:39
S14	0	S11 and (thermal\$3 adj sens\$3 adj element)	USPAT	OR	ON	2003/12/05 14:38
S15	2	S11 and (thermal\$3 adj sens\$3)	USPAT	OR	ON	2003/12/05 14:38
S16	3260	"324"/\$.ccls. and (device with temperature)	USPAT	OR	ON	2003/12/05 14:39
S17	5	S16 and (thermal\$3 adj sensitive adj element)	USPAT	OR	ON	2003/12/05 14:42
S18	16	"5488350"	USPAT	OR	ON	2003/12/05 14:43
S19	59	324/76.14.ccls.	USPAT	OR	OFF	2007/05/08 15:30
S22	30	324/96.ccls. and (signal near2 strength)	USPAT	OR	OFF	2003/07/07 10:07

EAST Search History

S23	268	324/103p.ccls.	USPAT	OR	OFF	2003/07/07 10:35
S24	0	324/103p.ccls. and (plural\$3 near3 (dc adj offset))	USPAT	OR	ON	2003/07/07 10:20
S25	0	324/76.14.ccls. and (plural\$3 near3 (dc adj offset))	USPAT	OR	ON	2003/07/07 10:20
S26	0	(signal adj strength) same (plural\$3 near3 (dc adj offset))	USPAT	OR	ON	2003/07/07 10:21
S27	1	(signal adj strength) same (plural\$3 with (dc adj offset))	USPAT	OR	ON	2003/07/07 10:22
S28	9	(signal adj strength) and (plural\$3 with (dc adj offset))	USPAT	OR	ON	2007/05/09 16:15
S29	26	(received adj signal adj strength).ti.	USPAT	OR	ON	2003/07/07 10:30
S30	36	"4,996,715"	USPAT	OR	ON	2003/07/07 10:31
S31	1	"4,996,715".pn.	USPAT	OR	ON	2003/07/07 10:31
S32	268	324/103p.ccls.	USPAT	OR	OFF	2003/07/07 10:36
S33	709	324/115.ccls.	USPAT	OR	OFF	2003/07/07 10:36
S34	5	324/115.ccls. and (measur\$3 with (signal adj strength))	USPAT	OR	OFF	2007/05/09 13:17
S35	9	324/115.ccls. and (dc adj offset)	USPAT	OR	ON	2003/07/07 10:43
S36	0	"10106910"	US-PGPUB; USPAT	OR	ON	2003/07/07 10:43
S37	0	10/106910	US-PGPUB; USPAT	OR	ON	2003/07/07 10:44
S38	12	"4603331".URPN.	USPAT	OR	OFF	2003/07/07 13:39
S39	12	"4603331".URPN.	USPAT	OR	OFF	2003/07/07 13:40
S40	215	455/226.2.ccls.	USPAT	OR	ON	2007/05/08 16:33
S41	207	455/226.4.ccls.	USPAT	OR	ON	2003/07/07 14:30
S42	70	455/226.4.ccls. and ((power adj level) (signal adj strength))	USPAT	OR	ON	2003/07/07 14:31
S43	16	(455/226.4.ccls. and ((power adj level) (signal adj strength))) and ((power adj level) (signal adj strength)).ti.	USPAT	OR	ON	2003/07/07 14:31
S44	73	340/539.21.ccls.	USPAT	OR	OFF	2003/07/07 16:48
S45	580	600/547.ccls.	USPAT	OR	OFF	2003/12/04 12:53
S46	1	"6720757".pn.	USPAT	OR	OFF	2007/05/09 13:16
S47	699	324/95.ccls.	USPAT	OR	OFF	2007/05/08 16:25
S48	880	324/96.ccls.	USPAT	OR	OFF	2007/05/08 16:25

EAST Search History

S49	477	455/226.2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:34
S50	1055	455/226.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:34
S51	379	455/226.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:47
S52	1081	(measur\$3 measurement determin\$3 calculat\$3) with RF with (signal adj strength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:37
S53	5	S51 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:38
S54	25	S50 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:39
S55	32	S49 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:38

EAST Search History

S56	28	S50 and (signal near3 polarity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:46
S57	0	S52 and (signal with (first adj polarity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:46
S58	29	S52 and (signal with polarity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:46
S59	13	S58 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:07